


D4107-1 DOOR DOUBLER

D4107-5 SPACER



D4107-7 BALL STUD SPACER

RELEASED
2010-09-23
[Signature]

A	NEW ISSUE		JPH	10.07.15
REV.	DESCRIPTION		BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	JPH			
CHECKED	[Signature]	DRAWING NO. D4107		REV. A
MFG. APPR.	[Signature]			SHEET 1 OF 3
APPROVED	[Signature]	TITLE DOUBLER & SPACERS		SCALE NTS
DE APPR.				
DATE	10.07.15	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		



D4107-5 SPACER



D4107-7 BALL STUD SPACER

NOTES:

- 1) MATERIAL -5: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S063
OR
ALUMINUM 2024-T3 SHEET 0.063 THICK
PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS4037 OR ASTM B209
REF DART SPEC M2024T3S.063
-7: 303/304/316 STAINLESS STEEL ROUND BAR Ø0.50, PER ASTM A276 OR ASTM A582
PER DART SPEC M303R0.500 OR M304R0.500
- 2) FINISH -5 : CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
-7 : NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENT P/N D4107-X & B/N PER QSI 044.
- 7) WEIGHT -5: < 0.01 lbs
-7: 0.03 lbs

RELEASED
2010-09-23

DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4107	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 3 OF 3	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.		DOUBLER & SPACERS	NTS
DATE	10.07.15	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	